

F



Milothane® Turf Liquid

Fungicide / Worm control agent

A systemic fungicide and worm control agent for the control of Fusarium Patch, Dollar Spot and Red Thread and for the suppression of earthworm casts.

Fungicide

MAPP 09935, PCS No. 91865.

A suspension concentrate formulation containing 500 g/litre (41.7% w/w) thiophanate-methyl.

4 x 5 L e



Milothane® Turf Liquid

ARTICLE 04204025

Milothane® Turf Liquid

Contains 41.7% w/w Thiophanate-methyl



HARMFUL



DANGEROUS FOR THE ENVIRONMENT

**MAY CAUSE SENSITISATION BY SKIN CONTACT.
VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE.
EFFECTS IN THE AQUATIC ENVIRONMENT.
POSSIBLE RISKS OF IRREVERSIBLE EFFECTS.**

Avoid contact with the skin.
This material and its container must be disposed of in a safe way.
Wear suitable gloves.
Use appropriate containment to avoid environmental contamination.
To avoid risks to man and the environment, comply with the instructions for use.

COMPLIANCE WITH THE FOLLOWING CONDITIONS OF USE AND ALL SAFETY PRECAUTIONS MARKED * IS A LEGAL REQUIREMENT.

FOR USE ONLY AS A HORTICULTURAL FUNGICIDE AND WORM CONTROL AGENT.
RESTRICTED TO PROFESSIONAL USERS.

Situation: Managed amenity turf.
Maximum individual dose: 200 ml product/ 100 m².
Other specific restrictions: For any individual crop the maximum number of treatments refers to the total number of applications of any products containing benomyl, carbendazim, or thiophanate-methyl and must not be exceeded.

READ ALL OTHER SAFETY PRECAUTIONS AND DIRECTIONS FOR USE BEFORE USE.

SAFETY PRECAUTIONS

Precautions marked * are a legal requirement.

Operator Protection

*Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:
*WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES, RUBBER BOOTS AND FACE PROTECTION (FACESHIELD) when handling contaminated surfaces and applying by hand-held equipment.
*WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.
*WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) when applying by vehicle mounted equipment.
*However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
WHEN USING DO NOT EAT, DRINK OR SMOKE.
WASH HANDS before meals and after work.
IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

Environmental Protection

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

Storage and Disposal

KEEP OUT OF THE REACH OF CHILDREN.
KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.
WASH OUT CONTAINER THOROUGHLY and dispose of safely.
*DO NOT RE-USE CONTAINER for any purpose.

PROTECT FROM FROST.
SHAKE THE CONTAINER THOROUGHLY BEFORE USE.

WHO-classification: III (Slightly hazardous).

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

For 24 hour emergency information contact Bayer CropScience Limited
Telephone: 0800 220876 or Nearest Poisons Information Centre.

MILDOTHANE® is a registered trademark of Bayer Environmental Science.

Batch Number: See on the pack

Bayer Environmental Science
a Business Group of Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge CB4 0WB
Tel : 00 44 (0) 1223 226680



This label is compliant with the CPA Voluntary Initiative Guidance.



Bayer Environmental Science
A Business Group of Bayer CropScience