



Supertox 30 Technical Information



SUPERTOX 30 is a selective herbicide for the control of a wide range of broad-leaved weeds in established turf. It should not be applied in the year of sowing. Contains 95 g/L (8.8% w/w) mecoprop-p and 93.5 g/L (8.7% w/w) 2,4-D as the diethanolamine salts.

Time of Application

For best results, the grass and weeds should be in active growth at the time of treatment. In most years treatment at any time between April and September will be effective, except during drought conditions.

Recommended Jets

ISO Brown 05F110 LB for power sprayers. ISO White 08F110 WH or ISO White DT 4.0 for knapsack sprayers.

Cautions

Avoid spray drift. Small amounts of SUPERTOX 30 spray may cause serious injury to herbaceous plants and fruit and vegetable crops. **MOWING.** Close mowing should not be carried out during the 3-4 days preceding or following treatment with SUPERTOX 30.

SHAKE CONTAINER WELL BEFORE USE
READ ALL PRECAUTIONS BEFORE USE. (MAPP 09946)

PACK COVERAGE:

5 LITRES COVERS 5,952 m² (@ 8.4 L/HA RATE)

25 LITRES COVERS 29,762 m² (@ 8.4 L/HA RATE)

Supertox is a trademark of Bayer.



Supertox 30 Technical Information

Quarter fill container with clean water. Add the required quantity of SUPERTOX 30 and complete filling.

APPLICATION

WEEDS CONTROLLED	APPLICATION RATE	RECOMMENDED TREATMENT
White Clover Daisy Creeping Buttercup Plantains Dandelion	Spraying Machine: 8.4 litres in 100-1000 litres, preferably 300 litres of water per hectare Knapsack Sprayer: 84 ml in 9 litres per 100 m ²	Repeat treatment after 4-6 weeks if necessary Repeat treatment after 4-6 weeks if necessary
Red Clover Mouse-ear Lesser Trefoil Yarrow Black Medick Pearlwort Birds-foot-trefoil Selfheal Hawkbits Thistles (Stemless and Creeping Thistle)	Spraying Machine: 11 or up to 17 litres per hectare if infestation is dense Knapsack Sprayer: 110 or up to 170 mls in 9 litres per 100 m ² Fine rose Watering Can: Use 11-17 ml in 9 litres of water to cover 10 m ²	Repeat treatment at 8.4 L rate after 4-6 weeks if necessary Repeat treatment at 84 ml rate after 4-6 weeks if necessary Repeat treatment at 8.4 ml rate after 4-6 weeks if necessary

Wash equipment thoroughly with water and wetting agent/detergent fluid immediately after use. Spray out in a safe place. Refill with clean water and leave overnight. Spray out again before storing or using for another product.